

Expand your possibilities

EASY MODEL




Wireless communication



Energy selfsufficient



Network connected



2 MARKING WINDOW SIZES

EASY 60 **60*30 mm** EASY 120 120*60 mm



Portable use in **Production area**

1.

Movement of the operator in the workshop

2.

Marking of medium to large, heavy or difficult to access parts

Electromagnetic dot peen echnology



- A succession of impacts form a permanent mark
- On all types of part up to a hardness of 63HRC

3.

Possibility to create **multiple marking areas** in the workshop



OLED screen

Real-time information
Battery charge, network
coverage, current marking files...



Robust

Warm welcome in the Technomark family



Technical plastic shell



Protective bumpers



between marking head and controller





Control Unit

Compatible with all environments




10" touch screen in tempered glass

Displayed from the head thanks to the RFID

3 USB ports

Connection to keyboard, code reader (1D and 2D) & USB stick





220V

power supply

VESA 100 fixings

9.0

Universal mounting of control box fixing



- USB Production record : Export of marked data
- Font creator license Creation of custom fonts
- Marking repeat check (VIN) Avoid same content marking
- Excel by USB key: import all content via USB
- Logo & Datamatrix marking







TECHNOMARK ADDED VALUE:

Long-term support

Pre-sales



Feasability study



Samples marking



On-site testing













After-sales



Helpline



Training



Service & maintenance



Repair



Equipment rental















Technomark

(headquarter & manufacturing) 1, allée du développement 42350 La Talaudière, France Tel: +33 (0)4 77 22 25 91

47 countries

Worldwide sales & after sales with our distributors and 3 subsidiaries

99%

Average customer satisfaction rate over the last 3 years

20 000

Yellow machines in service worldwide. all technologies

10%

Of turnover dedicated to R&D

Technomark Asia Pacific Technomark North America #your global supplier

info@technomark-marking.com

www.technomark-marking.com